



Epicor Mfg Wireless Warehouse

Greg Hyslop CEO, BiscIT



Overview

- Modern and intuitive app
- Provides workflow optimization for fast and accurate scanning
- Proof of Delivery and Delivery Route Optimization with Navigation
- Reduces time to process transactions, increases accuracy and reduces errors
- Fully supported with Honeywell[®] and Zebra[®] devices running on Android v6.0.1 or higher
- Available in English and Spanish, more languages coming soon



TC77 Handheld photograph courtesy of Zebra Technologies

Configuration Setting

Scan Validation Settings =

PO Receipt

Require part scan validation Can save without scan.

Require lot scan validation Can save without scan.

Require bin scan validation Can save without scan.

Container Receipt

Require part scan validation Can save without scan.

Require lot scan validation Can save without scan.

Require bin scan validation Can save without scan.

Job Receipt

Require part scan validation Can save without scan.

Process Issue or Return

Require part or pcid scan validation Can save without scan.

Require lot scan validation Can save without scan.

Require from bin scan validation Can save without scan.

Require to bin scan validation Can save without scan.

Require from pcid scan validation Can save without scan.

Require to pcid scan validation Can save without scan.

Customer Shipment

Require part scan validation Can save without scan.

Require lot scan validation Can save without scan.

Require bin scan validation Can save without scan

CPICOR

Scanner Settings

General Camera Barcode Scan Mode

Standard behaviour Scan quantity field as number Scan will be treated as a product code and

invoke the scan increment module. Deactivate all scan increment functionality

Serial Entry

Standard behaviour.

Bar Codes

Auto-open Entry When Qty Changes App will open serial entry.

Handle GS1-128 barcodes using industry standard format GS1-128 barcodes will read as raw string.

Dividing character(s) for multi-ID barcodes

Use Honeywell default internal scanner barcode settings Inactive

Template Select Page for Entering Multi-Value Template PO Receipt > Receipt Template

GS1:01\${partNum}320n\${qty}11\${origMfgDate}15\${be... ×

IIIIII IMPORT PROFILE

Inventory Settings

Move Inventory To Lot Number

The To Lot field can be edited and the next lot button is enabled

PO Receipt

Set quantity to remaining Qty equals zero.

Assign part default location Line defaults to receiving location. Prevent scans changing quantity

Receipt

Scans will change the gty field. Hide existing packslip warning

Warning is displayed. **Default print PO receipt label**

Print PO receipt label is off by default.

Leave Received Lines State to Arrived PO Receipt Lines are automatically set as received.

Require part scan validation Can save without scan.

Require lot scan validation Can save without scan.

Require bin scan validation Can save without scan.

Pre-fill last-used PCID for Orders Inactive

Container Receipt Set quantity to remaining Oty equals zero.

Assign part default location Line defaults to receiving location.

Prevent scans changing quantity Scans will change the gty field.

Default print container receipt label Print container receipt label is off by default.

Require part scan validation Can save without scan.

Require lot scan validation Can save without scan.

Require bin scan validation Can save without scan.

InterCompany Receipt Set all lines location to part default location Inactive

Job Receipt

Require part scan validation Can save without scan.

Scan by assembly sequence Scanning by part number.

Scan by material sequence Scanning by part number.

PCID Receipt

Default input tab is by Job Number.

End Activity

Pre-fill the End Activity Quantity

Labor

Default-enable the Request Move Flag

General

Disabled

() ≡

File Type

Signature Document Types

Picture Document Types

File Document Types

Depot Address 180 Main Road Speers Point NSW 2284

General Settings

Use Default Warehouse Code

Warehouse Code

CHI

Lock User and Employee To 1-to-1 Relationship

Inactive

Home View Production Worker Interface

one printer is configured

User confirmation required.

tag in Cycle Count Extended

Allow users to void blank tags

Users cannot void blank tags

generating new tag.

Confirm existing tags when generating new

User must confirm against returned tags before

Cycle Count

Hiding Interface.

Auto submit SSRS Printer settings when only

Set Default Input Tab to PCID

End Activity quantity will be pre-filled with the required quantity.

-

V

V

=

= Issues and Return Settings

General

Inactive

Set quantity to remaining

Prevent scans changing quantity

Pre-fill last-used PCID for Orders

Prevent overpicking on 'xxx-SHP' type

Require part or pcid scan validation

Scans will change the gty field.

Qty equals remaining qty.

material queue items

Overpicking is allowed.

Can save without scan.

Can save without scan.

Can save without scan.

Can save without scan

Can save without scan.

Can save without scan.

Require lot scan validation

Require from bin scan validation

Require to bin scan validation

Require from pcid scan validation

Require to pcid scan validation

Scan by assembly sequence

Scanning by part number.

Scanning by part number.

information

Default

filtering

Inactive

transaction

transaction

Unpick Sales Order

Unpick Transfer Order **PCID Default Input**

PCID Default Input

Default

Default

Scan by material sequence

Automatically fill form with From PCID

Filter ToBin by current product

filter by current part

Material queue employee warehouse group

ToBin search will initially display all bins and not

Extended Outbound Order Search Modal

Add Ship Via and Ship By Date columns

Issue Miscellaneous Material

Automatically apply last successful

warehouse, bin and reason to next

Return Miscellaneous Material

Automatically apply last successful

warehouse, bin and reason to next

Order Number is the default input

Order Number is the default input

=

() ≡

Shipping

PackOut Settings

Warn

Quantity

packed

Over packing control mode

Multiscan barcode format

Auto Quantity checkbox default value

Auto save transaction when using Auto

Auto apply ship via code of the order being

EMW will not assign the ship via code

Auto Quantity will be unchecked

EMW will not automatically save

Require part scan validation

Require lot scan validation

Require bin scan validation

Part number search modal fields

Part number search modal will only display a

unique part number field when searching the

Will not auto-focus quantity when part is

Selecting a line manually will only select the

Disable Ship button on Customer Shipment

Customer Shipment Settings

Ship button is not disabled

Can save without scan.

Can save without scan.

Can save without scan.

Auto-focus quantity field

Transfer Order Settings

Set quantity to remaining

Qty equals existing value.

Picked Order Settings

Part Number Scan Mode

Manual Selection Mode

individual line.

screen

part number

selected

Proof Of Delivery

Image Quality 20 (Recommended)

Png

General Input field autofocus

App will not autofocus.

Active

Demonstration





Epicor Mfg POD & POD Li

- Sign-on glass signature capture
- > Photo capture with device camera
- Attach files from device internal storage to delivery records
- Suitable for shipments to Customers, Transfer Orders, or shipment of Master Packs
- > Available with Epicor Mfg Proof of Delivery only
 - Delivery route optimization
 - Delivery navigation through Google Maps integration

		9 ≭ •♥ ½ ₫	8:45 PM
	Tuggerah Supe		Ť.
A 45	min 🖸 1 hr 57	h 11 hr d	
. 4	5 min	Oerre Bay	۲
Olney	47	min	٩
4			
	68		
			۲
45 m	in (60 km) 💿	On-site	
	t route, the usual tr		
A S	tart 📃 Steps 6	more	

STATUS:

STAGED

STATUS:

STATUS

STAGED

YPE: Packing Slip

CUSTOMER: George Stevens Hamilton

49 Kings Rd Brighton

CUSTOMER: The Good guys Shop 22-23


PACK CUSTOMER: Josef Levy

Lakemba NSW

Australia

Homemakers Supa STAGED Centa Tuggerah NSW 2259 Australia

Le Sands NSW







Epicor Mfg POD & POD Lite

 \checkmark

 \checkmark

Epicor Mfg POD Lite

- Modern interface using the Kinetic Design System
- Compatible with all Android V6.0.1+ Devices
- Integration with Epicor ERP
- Proof of Delivery functionality
- Coming soon for iOS 14.0+ Devices

Epicor Mfg POD

- Modern interface using the Kinetic Design System
- Compatible with all Android V6.0.1+ Devices
- Integration with Epicor ERP
- Coming soon for iOS 14.0+ Devices
- Proof of Delivery functionality
- **Delivery Route Optimization**
- Delivery Navigation with Google Maps Integration

Epicor Mfg Wireless Warehouse

Modern interface using the Kinetic Design System

Fully supported with Honeywell® and Zebra® Android V6.0.1+ Devices

Integration with Epicor ERP

Proof of Delivery functionality

Delivery Route Optimization

Delivery Navigation with Google Maps Integration

- Part, bin, and lot level validation
- Automated workflows triggered by scan events Pick by order
- Order and receipt tracker
- Cycle count and stock take

And more

Safe Harbour Statement

FORWARD-LOOKING STATEMENTS. Some of the information in the presentations constitute forward looking information, including with respect to future product strategies, financial condition, results of operations, continued profitability and activities of Epicor. While these forward-looking statements represent our current judgment, these statements are based on assumptions that are subject to a wide range of risks and our actual results could differ materially. Epicor undertakes no obligation to revise or update publicly any forward-looking statements.



Whats Coming

- E11 certification
- > Number of Pieces (Advanced UOM)
- Menu Level Security
- Report Quantity
- Generate PCID on End Activity
- POD & POD Lite on IOS
- > Languages
 - Simplified Chinese (End March)
 - Dutch, French, German, Traditional Chinese, Polish (Testing)
 - Czech, Danish, Greek, Estonian, Finish, French (Canadian), Indonesian, Italian, Japanese, Korean, Norwegian, Romanian, Russian, Swedish, Thai, Vietnamese
- Customer licence portal



Q & A



